


Office Pendant lights

EDGE

Steel cable suspension
individually shortenable



SKU: 558-09.840 (87cm)

SKU: 558-15.840 (143,5cm)

SKU: 558-12.840 (115cm)



RAL 9006 /silver

TECHNISCHE DATEN


V 220-240
Hz 50-60
W 16,5 / 22 / 27,5
Lm 3180 / 4240 / 5300
K 4000
CRI > 80 (typ. 85)
kg 3,5 / 4,0 / 4,5
UGR < 19
RG 0

Material: Extruded aluminum
Insert: Office workspace
Dimming: Optional (standard: not dimmable)
Lifetime: 50,000 hours
Warranty: 2 years
LED Cover: Microprismatic lens/plus additional high-tech diffuser foil
Power connection: Luster terminals in the right canopy
LED Driver: Osram
Colour: Silver
Dimensions: 870 x 60 x 79 mm (LxWxH)
1150 x 60 x 79 mm (LxWxH)
1435 x 60 x 79 mm (LxWxH)



HIGHLIGHTS

- ✓ Flicker-free light – easy on the eyes and improves visual comfort.
- ✓ Perfect illumination without shadows – ideal for evenly lit work areas.
- ✓ Neutral white light (4000 K) – promotes concentration and creates a bright, friendly office atmosphere.
- ✓ Energy-efficient LED technology – saves electricity costs and provides long-lasting, reliable lighting.
- ✓ Slim, modern design – available in three lengths, easy to install, and flexible in use.



OPTIONAL



DALI (5-pin)



Casambi-App



Integrated switch




Custom lengths



CRI > 90



Dimming



Indirect light component



Color temperature 3000K

Zum Weiherlein 16
97509 Kolitzheim
Germany

info@rmd-leuchten.de
www.rmd-leuchten.de

