

Articulated Lamps

SPECIAL LINE TUNABLE WHITE



SKU: 289-3697tw-D4 (silber)

 RAL 9006 / silber




SKU: 289-3690tw-D4 (black)

 RAL 9005 / black

TECHNICAL DATA

V	220-240
Hz	50-60
W	36
Lm	up to 6000
K	3000 - 6500 K
Lux	8900 (40cm)
CRI	> 95 (typ. 97)
kg	5,5
RG	0

Body:	natural-anodised aluminium
Articulation type:	Gas spring arm with 2 integrated gas springs (parallelogram)
Dimming:	Push-button (ON/OFF/DIM) / 1-100%
Colour temperature:	Color temperature in 9 steps from 2700K warm white to 6500K daylight white
Lifetime:	50.000h
Warranty:	2 Years
LED Cover:	Microprismatic lens/plus additional high-tech diffuser film
Power connection:	2m PVC-Cable + Schuko plug
LED Driver:	Tridonic
Colour:	Silver
Dimensions light head:	581 x 150 x 35,5 mm (LxWxH)



HIGHLIGHTS

- ✓ No colour location shifts when dimming the LEDs
- ✓ Adjustable color temperature from 3000 to 6500 Kelvin thanks to state-of-the-art Tunable White technology.
- ✓ No heat load in the direction of light emission - only slight heating of the luminaire head
- ✓ Extremely bright thanks to a three-row LED arrangement, large-area illumination – up to 8900 lx illuminance at a distance of 40 cm
- ✓ Parallelogram-guided articulated arm with integrated gas struts: infinitely easy to adjust without opening a locking screw, no uncontrolled sagging due to inadvertent misuse



ATTACHMENTS

SKU: 289-3697tw-D4 (silber)



Screw-on flange (incl.)
SKU: 00595



Table clamp 0-44 mm
SKU: 00395



Table clamp 16-85 mm
SKU: 00495



Tabel base 10,5 kg
SKU: 31796



Wall angle
SKU: 00295

SKU: 289-3690tw-D4 (black)



Screw-on flange (incl.)
SKU: 00590



Table clamp 0-44 mm
SKU: 00390



Table clamp 16-85 mm
SKU: 00490



Tabel base 10,5 kg
SKU: 31791



Wall angle
SKU: 00290

OPTIONAL

Shortened lower arm for board mounting



Special Line (10cm shortened)
SKU: 289-3697tw-D4



Zum Weiherlein 16
97509 Kolitzheim
Germany

Sales: +49(0)15128033591
info@rmd-leuchten.de
www.rmd-leuchten.de

