

Floor lamp

# DOUBLE



RAL 9005 / black



RAL 9006 / silver



RAL 9016 / white

# TECHNICAL DATA

V	220-240
Hz	50-60
W	150
Lm	20000
K	4000
CRI	80
kg	22,1

<b>Material:</b>	Aluminum
<b>Insert:</b>	Mobile
<b>Dimming:</b>	Dimmable
<b>Operation:</b>	Infrared motion detector, touch display
<b>Service life:</b>	50.000 h
<b>Warranty:</b>	5 years
<b>Light outlets:</b>	direct/indirect
<b>Half beam angle:</b>	75°/115°
<b>UGR:</b>	UGR < 16
<b>Stroboscopic effect:</b>	0
<b>Risk group:</b>	RG 0
<b>Color:</b>	White, silver, black
<b>Dimensions:</b>	1634 x 240 x 2000 mm (LxWxH)



# HIGHLIGHTS

- ✓ Equipped with powerful LEDs and a  $UGR \leq 16$ , ideal for VDU workstations.
- ✓ Integrated motion sensor, daylight control and dimmability for flexible office lighting.
- ✓ Uniformly bright room illumination thanks to indirect light component for pleasant and glare-free working.
- ✓ Sustainable & durable: energy-efficient and low-maintenance solution for long-term use.
- ✓ Simple installation - standard 230 V connection, mobile use.



Zum Weiherlein 16  
97509 Kollitzheim  
Germany

[info@rmd-leuchten.de](mailto:info@rmd-leuchten.de)  
[www.rmd-leuchten.de](http://www.rmd-leuchten.de)

