LED floor-standing luminaire

# Office Standard

Pleasant and efficient lighting - for open-plan offices or the home office.



COLOUR RENDERING
**CRI > 80**

LIGHT COLOUR
**4,000 K**

SERVICE LIFE
**50,000 h**

## Versions

7,600 lm · 79 W



● Silver ○ White ● Black

| | |
|---|---|
| Silver | 1006343 |
| White | 1005391 |
| Black | 1005390 |

# Technical data

LED FLOOR-STANDING LUMINAIRE
## Office Standard

### Item no. per version

| | |
|---|---|
| Silver | 1006343 |
| White | 1005391 |
| Black | 1005390 |

### Light

| | |
|---|---|
| Luminous flux | 7,600 lm |
| Colour temperature | neutral white (4000 Kelvin) |
| Colour rendering | CRI > 80 (typ. 85) |
| Dimming | 1-100 % stepless |
| Power | 79 W |

### Design & material

| | |
|---|---|
| Dimensions (L × W × H) | 692 × 310 × 1950 mm |
| Weight | 17.1 kg |
| Colour | Silver / White / Black |

### Technology

| | |
|---|---|
| Service life | 50,000 h |
| Protection class | IP 20 |
| Indirect light share | with indirect light component |
| Half-value angle | 80 / 110 ° |
| Beam angle | 80° |
| Glare rating | UGR < 19 |

### Operation

| | |
|---|---|
| Operation | Infrared motion detector / touch display |

# Highlights

COLOUR RENDERING

## CRI > 80

See colours naturally and reliably.

LED SERVICE LIFE

## 50,000 h

Calculated 25 years at 8 hours on 250 working days per year.

### Glare-free at screen workstations

UGR < 19: suitable for screen workstations.

### Direct and indirect light

Light on the workplace and onto the ceiling.

### Steplessly dimmable

1-100 % via the touch display.

### With motion detector

Infrared motion detector: switches the light automatically.

### Set up and plug in

No installation required, freely positionable.


### Concentrated work

Uniform light helps prevent fatigue.


# Dimensions

All dimensions in mm.

FRONT VIEW




SIDE VIEW




ALL VERSIONS

| LUMINAIRE (L × W × H) | WEIGHT |
|---|---|
| **692 × 310 × 1950 mm** | **17.1 kg** |

Contact

# Questions about the floor-standing luminaire Office Standard?

We advise you personally, including lighting design for your workplace.

PHONE
+49 9723 9082788

EMAIL
info@rmd-leuchten.de

ADDRESS
Zum Weiherlein 16
97509 Kolitzheim, Germany

OPENING HOURS
Mon - Fri 9:00 am - 6:00 pm (CET)

PRODUCT PAGE OPEN